Index

A

Abnormalities, congenital, manganese-deficient rats, influence of timing of short-term supplementation during gestation, 23.

ACKERMAN, C. J. Effect of potassium iodide and duodenal powder on the growth and organ weights of goitrogen-fed rats, 140.

ACOSTA, AIDA. See Méndez, José, 200.

Age, effect on response of chicks to dietary protein and fat, 53.

Alfalfa and broccoli, and influence of diet on radiosensitivity of guinea pigs, 340.

— and fescue, digestibility of α-cellulose and pentosan components of cellulosic micelle of, 105.

— carotene and vitamin A, utilization by growing chicks, 9.

Alkaline phosphatase, bone, in turkey poults, effect of zinc on, 18.

— —, plasma, and magnesium-fluoride interrelationship in chick, 251.

Amino acid(s) deficiencies, acute, effect on carcass composition and pancreatic function in force-fed rat. I. Histidine, methionine, phenylalanine, threonine. II. Valine, lysine, tryptophan, leucine, isoleucine, 28, 37.

— —, essential, egg pattern proportions, and nitrogen balance studies in man, 276.

— —, —, in plasma pattern proportions, nitrogen balance studies with subjects fed, 276.

— — imbalance, effect on nitrogen retention. II. Interrelationships between methionine, valine, isoleucine and threonine as supplements to corn protein for dogs, 389.

— — limiting growth of chicks fed purified diets, effect of starvation and a nonprotein diet on blood plasma amino acids, and observations on detection of, 303.

— — mixtures, imbalanced, effect of adding to low protein diet on weight gains and plasma amino acids of chicks, 296.

— —, supplementation of cereal proteins with. IV. Lysine supplementation of wheat flour fed to young children, 333.

ANDERSON, JOSEPH T., FRANCISCO GRANDE, YOSHIJIRO MATSUMOTO AND ANCEL KEYS. Glucose, sucrose and lactose in the diet and blood lipids in man, 349.

ANDREWS, E. L. See Krishnamurthy, S., 503.

Anemia, "meat" in mice, prevention by copper and calcium, 245.

—, microcytic hypochromic, in rats fed excess DL-methionine, 101.

Animals, comparative study of effects of bile acids and cholesterol on cholesterol metabolism in mouse, rat, hamster and guinea pig, 523.

—, germfree, vitamin stability in diets sterilized for, 318.

—, selenium-fed, lipid antioxidant activity in tissues and proteins of, 493.

Antibodies, production of in swine and relationship of specific nutrient deficiencies: vitamin A, 263.

Antioxidant, lipid, activity in tissues and proteins of selenium fed animals, 493.

ASHIDA, KIYOSHI. See Muramatsu, Keiishiro, 365.

Atherosclerosis and hypercholesterolemia in rabbit, production of by diet rich in shellfish, 443.

—, in rabbit, effect of cold environment; nutritional study, 45.

AXELROD, A. E., ANTHONY C. TRAKATELLIS, HUBERT BLOCH AND WARREN R. STINEBRING. Effect of pyridoxine deficiency upon delayed hypersensitivity in guinea pigs, 161.

B

BAKER, G. D. See Beher, W. T., 523.

BALLOUN, S. L. See Daghir, N. J., 279.

BALTZER, BETTY V. See Ritchie, H. D., 117.

BARRICK, E. R. See Wise, M. B., 79.

Beef, irradiated, effects of rat strain, stilbestrol and testosterone on occurrence of hemorrhagic diathesis in rats fed, 381.

BEELER, D. A., AND F. W. QUACKENBUSH. Effects of linoleate and dietary fat level on plasma and liver cholesterol and vascular lesions of the cholesterol-fed rat, 360.

BEHAR, M. See Bressani, R., 333.

BEHER, W. T., G. D. BAKER AND D. G. PENNEY. A comparative study of the effects of bile acids and cholesterol on cholesterol metabolism in the mouse, rat, hamster and guinea pig, 523.

BELL, M. C. See Wood, Randall D., 62.

BENSADOUN, A. See Van Niekerk, B. D. H., 373, 463.

Benzoic acid excretion in fowl, ornithine synthesis in relation to, 311.

β-Carotene, feeding value of following treatment with N_2O_4, in rat, 168.

BEVERIDGE, J. M. R., W. FORD CONNELL AND CAROLYN ROBINSON. Effect of the level of dietary protein with and without added cholesterol on plasma cholesterol levels in man, 289.

BIELY, JACOB. See March, B. E., 474.

BIERI, J. G. See Krishnamurthy, S., 503.

Bile acids and cholesterol, comparative study of effects of on cholesterol metabolism in the mouse, rat, hamster and guinea pig, 523.

BIRKHEAD, N. C. See Issekutz, B., Jr., 109.

BLOCH, HUBERT. See Axelrod, A. E., 161.

Blood constituents and performance of calves, influence of calcium-to-phosphorus ratios, 79.

Breed, effect on vitamin B_6 requirements of chicks, 279.

BRESSANI, RICARDO. Effect of amino acid imbalance on nitrogen retention. II. Interrelationships between methionine, valine, isoleucine and threonine as supplements to corn protein for dogs, 389.

Bressani, R., D. Wilson, M. Behar, M. Chung and N. S. Scrimshaw. Supplementation of cereal proteins with amino acids. IV. Lysine supplementation of wheat flour fed to young children at different levels of protein intake in the presence and absence of other amino acids, 333.
Broccoli and alfalfa, and influence of diet on radiosensitivity of guinea pigs, 340.
Brown, Myrtle L. Effect of a low dietary level of three types of fat on reproductive performance and tissue lipid content of the vitamin B_6-deficient female rat, 124.
Bunce, G. E., P. G. Reeves, T. S. Oba and H. E. Sauberlich. Influence of the dietary protein level on the magnesium requirement, 220.

C

Calcification, soft tissue, in dogs, and low magnesium diet with added lactose, 431, 437.
Calcium and copper, prevention of "meat anemia" in mice by, 245.
Calcium-45 and strontium-85, skeletal uptake of by young rats, and fluoridated water, 195.
Calcium metabolism in man, effect of lactose on, 531.
— pantothenate, stability in sterilized diet for germfree animals, 318.
— -to-phosphorus ratios, influence of variations on performance and blood constituents of calves, 79.
—, urinary, and effect of increased dietary protein and magnesium, 220.
Calhoun, W. K. See Calloway, Doris Howes, 340.
Calloway, Doris Howes, Gordan W. Newell, W. K. Calhoun and A. H. Munson. Further studies of the influence of diet on radiosensitivity of guinea pigs, with special reference to broccoli and alfalfa, 340.
Canham, John E. See Consolazio, C. Frank, 399, 407.
Carbohydrate, fat and protein content of rat diet as related to growth, 395.
— -fat combinations, influences on functions associated with glycolysis and lipogenesis in rats. I. Effects of substituting sucrose for rice starch with unsaturated and saturated fat, 93.
Carotene, alfalfa, and vitamin A, utilization by growing chicks, 9.
— stability in sterilized diet for germfree animals, 318.
Carroll, Catherine. Influences of dietary carbohydrate-fat combinations on various functions associated with glycolysis and lipogenesis in rats. I. Effects of substituting sucrose for rice starch with unsaturated and with saturated fat, 93.
α-Cellulose and pentosan components of cellulosic micelle of fescue and alfalfa, digestibility, 105.
Cereal proteins, supplementation of with amino acids. IV. Lysine supplementation of wheat flour fed to young children at different levels of protein intake in the presence and absence of other amino acids, 333.
Charkey, L. W., and A. K. Kano. Metabolic uncouplers, methionine and oxygen consumption of chicks, 511.
Chick embryos supplied with various concentrations of yolk, growth and development of, 205.
Children and malnutrition in Peru, 479.
—, preadolescent, niacin and tryptophan intake and excretion of metabolites in, 423.
—, rural Guatemalan Indian, with hypocholesterolemia, response to increased crystalline cholesterol intake, 200.
—, young, and wheat flour diet supplemented with limiting amino acids, 333.
Cholesterol absorption in chick and vitamin A, 474.
—, and beef fat, effects of various levels and of injections of sulfamerazine and parathyroid hormone on choline-deficient rats, 179.
— and bile acids, comparative study of effects on cholesterol metabolism in the mouse, rat, hamster and guinea pig, 523.
—, crystalline, increased intake, response of rural Guatemalan Indian children with hypocholesterolemia, 200.
— levels in cold-exposed rabbits, 45.
—, plasma and liver and vascular lesions of cholesterol-fed rat, effects of linoleate and dietary fat level on, 360.
—, plasma, levels in man, effect of level of dietary protein with and without added cholesterol, 289.
Choline deficiency in rat, dietary fat composition and accumulation of liver lipids, 488.
— -deficient rats, biochemical and morphological observations on; effects of level of beef fat and cholesterol, and of injections of sulfamerazine and parathyroid hormone, 179.
Chung, M. See Bressani, R., 333.
Clark, Helen E., Norma J. Yess, Eleanor J. Vermillion, Alice F. Goodwin and Edwin T. Mertz. Effect of certain factors on nitrogen retention and lysine requirements of adult human subjects. III. Source of supplementary nitrogen, 131.
Clarkson, Thomas B. See Lofland, Hugh B. Jr., 188.
Cold, nutrition studies in. IV. Effect of cold environment on atherosclerosis in rabbit, 45.
Comar, C. L. See Lengemann, F. W. 195.
Composition, body, of sheep, urinary creatinine as index of, 463.
—, carcass, and pancreatic function, effect of acute amino acid deficiencies in rat, 28, 37.
Connell, W. Ford. See Beveridge, J. M. R., 289.
Connor, William E., Jay J. Rohwedder and John C. Hoak. Production of hypercholesterolemia and atherosclerosis by a diet rich in shellfish, 443.
Consolazio, C. Frank, LeRoy O. Matoush, Richard A. Nelson, Richard S. Harding and John E. Canham. Excretion of sodium, potassium, magnesium and iron in human sweat and the relation of each to balance and requirements, 407.

Consolazio, C. Frank, Richard A. Nelson, LeRoy O. Matoush, Richard S. Harding and John E. Canham. Nitrogen excretion in sweat and its relation to nitrogen balance requirements, 399.
Copper and calcium, prevention of "meat anemia" in mice by, 245.
— and zinc interrelationships in the pig, 117.
Creatinine in sheep urine, conditions affecting rate of excretion and stability of, 373.
—, urinary, as index of body composition of sheep, 463.

D

Daghir, N. J., and S. L. Balloun. Evaluation of the effect of breed on vitamin B_6 requirements of chicks, 279.
Deficiency, choline in rat, dietary fat composition and accumulation of liver lipids, 488.
—, essential fatty acid, and rat liver homogenate oxidations, 416.
DeLuca, Hector F. See Smith, Janet, 416.
Diammonium citrate as source of supplementary nitrogen for young human subjects, 131.
Diathesis, hemorrhagic, in rats fed ration containing irradiated beef, effects of rat strain, stilbestrol and testosterone or occurrence of, 381.
Diet and serum lipids: comparison between three population groups with low, medium and high fat intakes, 211.
—, effect of on work metabolism, young men, 109.
—, glucose, sucrose and lactose in, and blood lipids in man, 349.
—, high in polyunsaturated fat, effects on plasma lipids of normal young females, 85.
—, high in shrimp, and production of atherosclerosis and hypercholesterolemia in rabbit, 443.
—, low protein, with added imbalanced amino acid mixtures, effect on weight gains and plasma amino acids of chicks, 296.
—, of two African groups and of American Negro, and comparison of serum lipids, 211.
—, rat, protein, carbohydrate and fat content of as related to growth, 395.
Diet(s), essential amino acid in egg pattern proportions, 276.
—, — — — — plasma pattern proportions, 276.
—, influence of on radiosensitivity of guinea pigs: broccoli and alfalfa, 340.
—, nonprotein, and starvation, effect on blood plasma amino acids, and detection of amino acids limiting growth of chicks fed purified diets, 303.
—, sterilized for germfree animals, vitamin stability of, 318.
—, three of different composition and differences in rat strain response, 227.
—, Torula yeast, valine-1-C^{14} incorporation into serum and tissue proteins of rats fed, 151.
—, wheat basal with lysine supplementation studied with young children, 333.
Diethylstilbestrol-treated chick, fed low cholesterol diet, vitamin A, hyperlipemia and hypercholesterolemia, 474.
Digestibility of α-cellulose and pentosan components of cellulosic micelle of fescue and alfalfa, 105.
Digestion and amino acid deficiencies in rat, 28, 37.
Dinning, James S. See Fitch, Coy D., 69.
Dogs, nitrogen retention in, and interrelationships between methionine, valine, isoluecine and threonine as supplements to corn protein, 389.
Dye binding by soybean and fish meal as index of quality, 239.

E

Edwards, H. M. Jr. See Marion, J. E., 53.
Eggs and egg production with corn oil in diet of chicks, 53.
Emerick, R. J., and Virginia F. Lievan. Feeding value of beta-carotene following treatment with N_2O_4, 168.
Energy and protein, dietary, effect on urinary creatinine excretion rate in sheep, 373.
Enzyme(s), pancreatic activities in amino acid deficiencies in rat, 28, 37.
— studies in thiamine-deficient pigeons, 188.
Estimation of body composition of sheep by urinary creatinine, 463.
Everson, Gladys J. See Hurley, Lucille S., 23.
Exercise, effect of diet on metabolism of young men during, 109.

F

FAO reference pattern, amino acids in and nitrogen retention, 333.
Fat(s), beef and cholesterol, and injections of sulfamerazine and parathyroid hormone, effect of various levels on choline-deficient rats, 179.
— and protein, dietary, effect of age on response of chicks to, 53.
— -carbohydrate combinations, influences on functions associated with glycolysis. I. Effects of substituting sucrose for rice starch with unsaturated and saturated fat, 93.
—, carbohydrate and protein content of rat diet as related to growth, 395.
—, dietary, composition, and accumulation of liver lipid in choline-deficient rat, 488.
— deficiency and antioxidants, influence of and estimated requirements in vitamin E deficiency in monkey, 69.
—, dietary, level and linoleate, effects on plasma and liver cholesterol and vascular lesions of cholesterol-fed rat, 360.
—, effect of low dietary level of three types on reproductive performance and tissue lipid content of vitamin B_6-deficient female rats, 124.
—, high polyunsaturated, diet, effects on plasma lipids of normal young females, 85.
—, saturated and unsaturated, effects of substituting sucrose for rice starch with, 93.
Fatty acid(s), essential, deficiency and rat liver homogenate oxidations, 416.
Featherston, W. R. See Morris, M. L., Jr., 437.
Featherston, W. R., M. L. Morris, Jr. and P. H. Phillips. Influence of lactose and dried skim milk upon the magnesium deficiency

syndrome in the dog. I. Growth and biochemical data, 431.
Fescue and alfalfa, digestibility of α-cellulose and pentosan components of cellulosic micelle of, 105.
Fish meal and soybean meal, dye binding as index of quality, 239.
FITCH, COY D., AND JAMES S. DINNING. Vitamin E deficiency in the monkey. V. Estimated requirements and the influence of fat deficiency and antioxidants on the syndrome, 69.
Flour, wheat, supplemented by lysine, fed to young children, 333.
Fluoridation of water and skeletal uptake of Sr^{85} and Ca^{45} by young rats, 195.
Fluoride-magnesium interrelationship in chicks, 251.
FOSTICK, M. See Guggenheim, K., 245.
FUNES, ROLANDO. See Méndez, José, 200.

G

GARLICH, J. D. See Nesheim, M. C., 311.
GHOSH, H. P., P. K. SARKAR AND B. C. GUHA. Distribution of the bound form of nicotinic acid in natural materials, 451.
GILFILLAN, E. W. See Howe, E. E., 395.
Glucose, sucrose and lactose in diet and blood lipids in man, 349.
Glutamic acid as source of supplementary nitrogen for young human subjects, 131.
Glycine as source of supplementary nitrogen for young human subjects, 131.
GOLDSMITH, GRACE A. See Moyer, Elsie Z., 423.
GRAHAM, GEORGE G., AND ENRIQUE MORALES. Studies in infantile malnutrition. I. Nature of the problem in Peru, 479.
GRANDE, FRANCISCO. See Anderson, Joseph T., 349.
GREENWALD, EDWARD, JOSEPH SAMACHSON AND HERTA SPENCER. Effect of lactose on calcium metabolism in man, 531.
GRIFFITH, F. D., H. E. PARKER AND J. C. ROGLER. Observations on a magnesium-fluoride interrelationship in chicks, 251.
GOODMAN, HAROLD O. See Lofland, Hugh B. Jr., 188.
GOODWIN, ALICE F. See Clark, Helen E., 131.
GRAINGER, R. B. See Wood, Randall D., 62.
GRAU, C. R. See Walker, Norman E., 205.
Growth and development of chick embryos supplied with various concentrations of yolk, 205.
— and influence of lactose and dried skim milk on magnesium deficiency syndrome in dog, 431.
— and organ weights of goitrogen-fed rats, effect of potassium and duodenal powder on, 140.
— and relationship to protein, carbohydrate and fat content of rat diet, 395.
GUGGENHEIM, K., J. ILAN, M. FOSTICK AND E. TAL. Prevention of "meat anemia" in mice by copper and calcium, 245.
GUHA, B. C. See Ghosh, H. P., 451.
GUNNING, B., G. MICHAELS, L. NEUMANN, S. SPLITTER AND L. KINSELL. Effects of a diet high in polyunsaturated fat on the plasma lipids of normal young females, 85.

H

HAMILTON, J. W., AND A. L. TAPPEL. Lipid antioxidant activity in tissues and proteins of selenium-fed animals, 493.
HANKIN, LESTER. Effect of dietary orotic acid on liver proteins, 519.
HARDING, RICHARD S. See Consolazio, C. Frank, 399, 407.
HARMON, B. G., E. R. MILLER, J. A. HOEFER, D. E. ULLREY AND R. W. LUECKE. Relationship of specific nutrient deficiencies to antibody production in swine. I. Vitamin A, 263.
HARMON, B. G., E. R. MILLER, J. A. HOEFER, D. E. ULLREY AND R. W. LUECKE. Relationship of specific nutrient deficiencies to antibody production in swine. II. Pantothenic acid, pyridoxine or riboflavin, 269.
HEGSTED, D. M. See Iwamoto, Atsushi, 488.
HELLERSTEIN, EARL E. See Iwamoto, Atsushi, 488.
Hematology, and iron levels during excess methionine feeding in rat, 101.
HICKSON, JANICE B. See Swendseid, Marian E., 276.
HILDEBRAND, HAZEL E. See Marshall, Mary W., 227.
HILL, D. C., AND ELLEN M. OLSEN. Effect of starvation and a nonprotein diet on blood plasma amino acids, and observations on the detection of amino acids limiting growth of chicks fed purified diets, 303.
HILL, D. C., AND ELLEN M. OLSEN. Effect of the addition of imbalanced amino acid mixtures to a low protein diet, on weight gains and plasma amino acids of chicks, 296.
Histidine deficiency, effect on carcass composition and pancreatic function in rat, 28.
HOAK, JOHN C. See Connor, William E., 443.
HOEFER, J. A. See Harmon, B. G., 263, 269.
HOEFER, J. A. See Ritchie, H. D., 117.
HOWE, E. E., AND E. W. GILFILLAN. Protein, carbohydrate and fat content of the diet of the rat as related to growth, 395.
Humans, young, as subjects for study of lysine requirements and nitrogen retention, 131.
HUNG, ELEANOR. See Parrish, D. B., 9.
HURLEY, LUCILLE S., AND GLADYS J. EVERSON. Influence of timing of short-term supplementation during gestation on congenital abnormalities of manganese-deficient rats, 23.
Hypercholesterolemia and atherosclerosis in rabbit, production of by diet rich in shellfish, 443.
— in rural Guatemalan Indian children and response to increased crystalline cholesterol intake, 200.
Hypersensitivity, delayed, in guinea pigs, effect of pyridoxine deficiency on, 161.

I

ILAN, J. See Guggenheim, K., 245.
Iodocasein and DPN, effect on methionine and oxygen consumption in chick, 511.
Iron balance and requirements, relation to excretion in human sweat, 399.
— levels and hematologic findings during excess methionine feeding, in rat, 101.

Isoleucine deficiency, effect on carcass composition and pancreatic function in force-fed rat, 37.
—, valine, methionine and threonine, interrelationships between as supplements to corn protein for dogs, 389.
Issekutz, B., Jr., N. C. Birkhead and K. Rodahl. Effect of diet on work metabolism, 109.
Iwamoto, Atsushi, Earl E. Hellerstein and D. M. Hegsted. Composition of dietary fat and the accumulation of liver lipid in the choline-deficient rat, 488.

J

Jensen, L. S. See Moran, E. T., Jr., 239.

K

Kano, A. K. See Charkey, L. W., 511.
Kaufman, Nathan, See Klavins, J. V., 101.
Kaufmes, J. See Rasheed, A. A., 323.
Keys, Ancel. See Anderson, Joseph T., 349.
Kinney, Thomas D. See Klavins, J. V., 101.
Kinsell, L. See Gunning, B., 85.
Klavins, J. V., Thomas D. Kinney and Nathan Kaufman. Body iron levels and hematologic findings during excess methionine feeding, 101.
Kratzer, F. H. See Starcher, Barry, 18.
Krishnamurthy, S., J. G. Bieri and E. L. Andrews. Metabolism and biological activity of vitamin A acid in the chick, 503.
Kwashiorkor and infantile malnutrition in Peru, 479.

L

Lactose and dried skim milk, influence on magnesium deficiency syndrome in dog. I. Growth and biochemical data. II. Pathological changes, 431, 437.
—, effect on calcium metabolism in man, 531.
—, glucose and sucrose in diet and blood lipids in man, 349.
Lavoisier, Antoine-Laurent — a biographical sketch, 1.
Leg weakness and magnesium-fluoride interrelationship in chicks, 251.
Lengemann, F. W., and C. L. Comar, Fluoridated water and the skeletal uptake of Sr^{85} and Ca^{45} by young rats, 195.
Leucine deficiency, effect on carcass composition and pancreatic function in force-fed rat, 37.
Lievan, Virginia F. See Emerick, R. J., 168.
Linoleate and dietary fat level, effects on plasma and liver cholesterol and vascular lesions of cholesterol-fed rat, 360.
Linoleic-1-C^{14} acid, labeled, metabolism in sheep rumen, 62.
Lipid(s) and diet: comparison between three population groups with low, medium and high fat intakes, 211.
— antioxidant activity in tissues and proteins of selenium fed animals, 493.
—, blood, in man, glucose, sucrose and lactose in the diet and, 349.
—, liver, accumulation of in choline-deficient rat, and dietary fat composition, 488.
Liver, rat, homogenate oxidations and essential fatty acid deficiency, 416.
Lofland, Hugh B. Jr., Harold O. Goodman, Thomas B. Clarkson and Robert W. Prichard. Enzyme studies in thiamine-deficient pigeons, 188.
Luecke, R. W. See Harmon, B. G., 263, 269.
Luecke, R. W. See Ritchie, H. D., 117.
Lyford, S. J., Jr., W. W. G. Smart, Jr. and G. Matrone. Digestibility of the alpha-cellulose and pentosan components of the cellulosic micelle of fescue and alfalfa, 105.
Lyman, Richard L., and Sue Stewart Wilcox. Effect of acute amino acid deficiencies on carcass composition and pancreatic function in the force-fed rat. I. Deficiencies of histidine, methionine, phenylalanine and threonine, 28.
Lyman, Richard L., and Sue Stewart Wilcox. Effect of acute amino acid deficiencies on carcass composition and pancreatic function in the force-fed rat. II. Deficiencies of valine, lysine, tryptophan, leucine and isoleucine, 37.
Lysine deficiency, effect on carcass composition and pancreatic function in force-fed rat, 37.
—, delayed supplement, utilization by young rats, 257.
— requirements and nitrogen retention of human subjects. III. Effect of source of supplementary nitrogen, 131.
— supplementation of wheat flour fed to young children at different levels of protein intake in presence and absence of other amino acids, 333.

M

Magnesium balance and requirements, relation to excretion in human sweat, 399.
— deficiency syndrome in dog, influence of lactose and dried skim milk on. I. Growth and biochemical data. II. Pathological changes, 431, 437.
— -fluoride interrelationship in chicks, 251.
— requirement, influence of dietary protein level, in rat, 220.
Malhotra, Om P., A. V. Nalbandov, E. F. Reber and H. W. Norton. Effects of rat strain, stilbestrol and testosterone on the occurrence of hemorrhagic diathesis in rats fed a ration containing irradiated beef, 381.
Malnutrition, infantile, nature of problem in Peru, 479.
Man, effect of lactose on calcium metabolism in, 531.
—, — — level of dietary protein with and without added cholesterol on plasma cholesterol in, 289.
—, nitrogen balance studies with essential amino acids in plasma pattern proportions fed to, 276.
Manganese-deficient rats, influence on congenital abnormalities of timing of short-term supplementation during gestation, 23.
Marasmus and infantile malnutrition in Peru, 479.
March, B. E., and Jacob Biely. Vitamin A and cholesterol absorption in the chicken, 474.

MARION, J. E., AND H. M. EDWARDS, JR. Effect of age on the response of chickens to dietary protein and fat, 53.
MARSHALL, MARY W., AND HAZEL E. HILDEBRAND. Differences in rat strain response to three diets of different composition, 227.
MASTERSON, JO ELLA. See Yang, S. P., 257.
MATOUSH, LEROY O. See Consolazio, C. Frank, 399, 407.
MATRONE, G. See S. J. Lyford, Jr., 105.
MATSUMOTO, YOSHIJIRO. See Anderson, Joseph T., 349.
McGINNIS, J. See Moran, E. T., Jr., 239.
McNUTT, S. H. See Morris, M. L., Jr., 437.
Men, effect of diet on work metabolism of, 109.
MENDEZ, JOSE, AIDA ACOSTA AND ROLANDO FUNES. Response of rural Guatemalan Indian children with hypocholesterolemia to increased crystalline cholesterol intake, 200.
MERTZ, EDWIN T. See Clark, Helen E., 131.
Metabolism and biological activity of vitamin A acid in chick, 503.
—, calcium, in man, effect of lactose on, 531.
—, cholesterol, in the mouse, rat, hamster and guinea pig, comparative study of effects of bile acids and cholesterol on, 523.
— in preadolescent children: intake of niacin and tryptophan and excretion of niacin or tryptophan metabolites, 423.
— of labeled linoleic-1-C^{14} in sheep rumen, 62.
—, work, effect of diet on, young men, 109.
Methionine and oxygen consumption of chicks, and metabolic uncouplers, 511.
— deficiency, effect on carcass composition and pancreatic function in rat, 28.
— feeding, excess, in rat, iron levels and hematologic findings, 101.
—, valine, isoleucine and threonine, interrelationships between as supplements to corn protein for dogs, 389.
Methods, macro- and micro- for determination of serum vitamin A, using trifluoroacetic acid, 454.
MICHAELS, G. See Gunning, B., 85.
Milk, dried skim, and lactose, influence on magnesium deficiency syndrome in dog. I. Growth and biochemical data. II. Pathological changes, 431, 437.
MILLER, E. R. See Harmon, B. G., 263, 269.
MILLER, E. R. See Ritchie, H. D., 117.
MILLER, JOSEPHINE. See Moyer, Elsie Z., 423.
MILLER, O. NEAL. See Moyer, Elsie Z., 423.
MOEDE, A. See Vahouny, George V., 45.
Monkey, vitamin E deficiency in. V. Estimated requirements and influence of fat deficiency and antioxidants on syndrome, 69.
MORALES, ENRIQUE. See Graham, George G., 479.
MORAN, E. T., JR., L. S. JENSEN AND J. McGINNIS. Dye binding by soybean and fish meal as an index of quality, 239.
MORRIS, M. L., JR. See Featherston, W. R., 431.
MORRIS, M. L., JR., W. R. FEATHERSTON, P. H. PHILLIPS AND S. H. McNUTT. Influence of lactose and dried skim milk upon the magnesium deficiency syndrome in the dog. II. Pathological changes, 437.
MOYER, ELSIE Z., GRACE A. GOLDSMITH, O. NEAL MILLER AND JOSEPHINE MILLER. Metabolic patterns in preadolescent children. VII. Intake of niacin and tryptophan and excretion of niacin or tryptophan metabolites, 423.
MUNSON, A. H. See Calloway, Doris Howes, 340.
MURAMATSU, KEIICHIRO, AND KIYOSHI ASHIDA. Influence of varying levels of different dietary proteins on growth rate, liver xanthine oxidase and succinic dehydrogenase of young rats, 365.
Mycobacterium tuberculosis (BCG)-innoculated guinea pigs, delayed hypersensitivity in, 161.

N

NALBANDOV, A. V. See Malhotra, Om P., 381.
NEELD, JOHN B., JR., AND WILLIAM N. PEARSON. Macro- and micromethods for the determination of serum vitamin A using trifluoroacetic acid, 454.
NELSON, RICHARD A. See Consolazio, C. Frank, 399, 407.
NESHEIM, M. C., AND J. D. GARLICH. Studies on ornithine synthesis in relation to benzoic acid excretion in the domestic fowl, 311.
NEUMANN, L. See Gunning, B., 85.
NEWBERNE, PAUL M., AND W. D. SALMON. Biochemical and morphological observations on choline-deficient rats. Effects of various levels of beef fat and cholesterol, and of injections of sulfamerazine and parathyroid hormone, 179.
NEWELL, GORDON W. See Calloway, Doris Howes, 340.
Niacin and tryptophan intake and excretion of metabolites in preadolescent children, 423.
Nicotinic acid, bound form, distribution in natural materials, 451.
Nitrate, feeding value of β-carotene following treatment with, in rat, 168.
Nitrite dietary, effects on growth, liver vitamin A stores and thyroid weight in the chick, 171.
Nitrogen balance studies with subjects fed essential amino acids in plasma pattern proportions, 276.
— excretion in sweat, relation to nitrogen balance and requirements, 407.
— retention and lysine requirements of human subjects. III. Effect of source of supplementary nitrogen, 131.
— retention, effect of amino acid imbalance on. II. Interrelationships between methionine, valine, isoleucine and threonine as supplements to corn protein for dogs, 389.
— retention, effect of basal wheat diet supplemented with lysine, 333.
—, supplementary, effect of source of for human subjects, 131.
NORTON, H. W. See Malhotra, Om P., 381.

O

OBA, T. S. See Bunce, G. E., 220.
Oil(s), marine, nutritive value of. I. Menhaden oil at varying oxidation levels, with and without antioxidants in rat diets, 323.
—, menhaden, at varying oxidation levels, with and without antioxidants in rat diets, and nutritive value, 323.

Oldfield, J. E. See Rasheed, A. A., 323.
Olsen, Ellen M. See Hill, D. C. 296, 303.
Ordoveza, A. L. See Wise, M. B., 79.
Organs, weight, and growth of goitrogen-fed rats, effect of potassium iodide and duodenal powder on, 140.
Ornithine synthesis in relation to benzoic acid excretion in fowl, 311.
Orotic acid, dietary, effect on liver proteins, in rat, 519.
Oxidation levels, varying, of menhaden oil, with and without antioxidants in rat diet, and nutritive value, 323.
Oxygen and methionine consumption of chicks, and metabolic uncouplers, 511.

P

Paladines, O. L. See Van Niekerk, B. D. H., 373, 463.
Pantothenic acid, pyridoxine or riboflavin deficiency and relationship to antibody production in swine, 269.
Parakeratosis and zinc-copper interrelationship in swine, 117.
Parathyroid hormone and sulfamerazine injections, and various levels of beef fat and cholesterol, effects on choline-deficient rats, 179.
Parker, H. E. See Griffith, F. D., 251.
Parrish, D. B., R. A. Zimmerman, P. E. Sanford and Eleanor Hung. Utilization of alfalfa carotene and vitamin A by growing chicks, 9.
Pearson, William N. See Neeld, John B., Jr., 454.
Penney, D. G. See Beher, W. T., 523.
Peru, problem of infantile malnutrition in, 479.
Phenylalanine deficiency, effect on carcass composition and pancreatic function in rat, 28.
Phillips, P. H. See Featherston, W. R., 431.
Phillips, P. H. See Morris, M. L., Jr., 437.
Phosphorus -to-calcium ratios, influence of variations on performance and blood constituents of calves, 79.
Potassium balance and requirements, relation to excretion in human sweat, 399.
— iodide and duodenal powder, effect on growth and organ weights of goitrogen-fed rats, 140.
Prichard, Robert W. See Lofland, Hugh B. Jr., 188.
Protein and energy, dietary, effect on urinary creatinine excretion rate in sheep, 373.
— and fat, dietary, effect of age on response of chicks to, 53.
—, carbohydrate and fat content of rat diet as related to growth, 395.
—, dietary, effect of level with and without added cholesterol on plasma cholesterol levels in man, 289.
—, dietary, level, influence on magnesium requirement of rat, 220.
—, low, diet with imbalanced amino acid mixtures, effect on weight gains and plasma amino acids of chicks, 296.
—, purified derivative (PPD), and delayed hypersensitivity in guinea pigs, 161.
Protein(s), cereal, supplementation of with amino acids. IV. Lysine supplementation of wheat flour fed to young children at different levels of protein intake in presence and absence of other amino acids, 333.
—, influence of varying levels on growth rate, liver xanthine oxidase and succinic dehydrogenase of young rats, 365.
—, liver, effect of dietary orotic acid on, in rat, 519.
—, serum and tissue of rats fed Torula yeast diet, and valine-1-C^{14} incorporation, 151.
Pyridoxine deficiency, and relationship to antibody production in swine, 269.
— —, effect on delayed hypersensitivity in guinea pigs, 161.
— stability in sterilized diet for germfree animals, 318.

Q

Quackenbush, F. W. See Beeler, D. A., 360.

R

Radiosensitivity, influence of diet on in guinea pigs: broccoli and alfalfa, 340.
Rappaport, Rhoda. Antoine-Laurent Lavoisier—a biographical sketch, 1.
Rasheed, A. A., J. E. Oldfield, J. Kaufmes and R. O. Sinnhuber. Nutritive value of marine oils, 323.
Rat strain, differences in response to three diets of different composition, 227.
Reber, E. F. See Malhotra, Om P., 381.
Reeves, P. G. See Bunce, G. E., 220.
Reid, J. T. See Van Niekerk, B. D. H., 373, 463.
Reproduction, performance, and tissue lipid content of vitamin B_6-deficient female rats fed low dietary levels of three types of fat, 124.
Requirements, estimated, for vitamin E for monkey, and during fat deficiency, 69.
— for lysine and nitrogen retention of human subjects. III. Effect of source of supplementary nitrogen, 131.
—, iron, and balance, relation to excretion in human sweat, 399.
—, magnesium, and balance, relation to excretion in human sweat, 399.
Requirement(s), magnesium, influence of dietary protein level, in rat, 220.
—, nitrogen, and balance, relation to nitrogen excretion in sweat, 407.
— of chicks for vitamin B_6, effect of breed on, 279.
—, potassium, and balance, relation to excretion in human sweat, 399.
—, sodium, and balance, and relation to excretion in human sweat, 399.
—, vitamin A, and time of dosing, in chick, 503.
Riboflavin deficiency, and relationship to antibody production in swine, 269.
— stability in sterilized diet for germfree animals, 318.
Ritchie, H. D., R. W. Luecke, Betty V. Baltzer, E. R. Miller, D. E. Ullrey and J. A. Hoefer. Copper and zinc interrelationships in the pig, 117.
Roberts, W. K. See Sell, J. L., 171.
Robinson, Carolyn. See Beveridge, J. M. R., 289.

Rodahl, K. See Issekutz, B., Jr., 109.
Roels-Broadhurst, Dorothy M. See Roels, O. A., 211.
Roels, O. A., Dorothy M. Roels-Broadhurst and Marian Trout. Serum lipids and diet: a comparison between three population groups with low, medium and high fat intake, 211.
Rogler, J. C. See Griffith, F. D., 251.
Rohwedder, Jay J. See Connor, William E., 443.

S

Salmon, W. D. See Newberne, Paul M., 179.
Samachson, Joseph. See Greenwald, Edward, 531.
Sanford, P. E. See Parrish, D. B., 9.
Sarkar, P. K. See Ghosh, H. P., 451.
Sauberlich, H. E. See Bunce, G. E., 220.
Schwarz, Klaus. See Stirpe, Fiorenzo, 151.
Scrimshaw, N. S. See Bressani, R., 333.
Selenium, lipid antioxidant activity in tissues and proteins of animals fed, 493.
Sell, J. L., and W. K. Roberts. Effects of dietary nitrite on the chick: growth, liver vitamin A stores and thyroid weight, 171.
Silver, B. See Vahouny, George V., 45.
Sinnhuber, R. O. See Rasheed, A. A., 323.
Smart, W. W. G., Jr. See S. J. Lyford, Jr., 105.
Smith, Janet, and Hector F. DeLuca. Essential fatty acid deficiency and rat liver homogenate oxidations, 416.
Sodium balance and requirements, and relation to excretion in human sweat, 399.
Soybean and fish meal, dye binding as index of quality, 239.
Spencer, Herta. See Greenwald, Edward, 531.
Splitter, S. See Gunning, B., 85.
Starcher, Barry, and F. H. Kratzer. Effect of zinc on bone alkaline phosphatase in turkey poults, 18.
Starvation, and nonprotein diet, effect on blood plasma amino acids, and detection of amino acids limiting growth of chicks fed purified diets, 303.
Steinhauer, John E. See Yang, S. P., 257.
Stilbestrol, testosterone and rat strain, effects on occurrence of hemorrhagic diathesis in rats fed ration containing irradiated beef, 381.
Stinebring, Warren R. See Axelrod, A. E., 161.
Stirpe, Fiorenzo, and Klaus Schwarz. Incorporation of valine-1-C^{14} into serum and tissue proteins of rats fed Torula yeast diets, 151.
Strain, rat, differences in response to three diets of different composition, 227.
—, rat, stilbestrol and testosterone, effects of on occurrence of hemorrhagic diathesis in rats fed a ration containing irradiated beef, 381.
Strontium-85 and calcium-45, skeletal uptake of by young rats, and fluoridated water, 195.
Succinic dehydrogenase, liver xanthine oxidase and growth rate, influence of varying levels of protein in young rats, 365.
Sucrose, glucose and lactose in diet and blood lipids in man, 349.
Sulfamerazine and parathyroid hormone injections, and various levels of beef fat and cholesterol on choline-deficient rats, 179.
Sweat, human, excretion of sodium, potassium, magnesium and iron in, and relation of each to balance and requirements, 399.
—, nitrogen excretion in, relation to nitrogen balance and requirements, 407.
Swendseid, Marian E., Janice B. Hickson, Juanita Villalobos and Stewart G. Tuttle. Nitrogen balance studies with subjects fed the essential amino acids in plasma pattern proportions, 276.

T

Tal, E. See Guggenheim, K., 245.
Tappel, A. L. See Hamilton, J. W., 493.
Teekell, R. A. See Wood, Randall D., 62.
Testosterone, stilbestrol and rat strain, effects on occurrence of hemorrhagic diathesis in rats fed ration containing irradiated beef, 381.
Thiamine-deficient pigeons, enzyme studies in, 188.
— stability in sterilized diet for germfree animals, 318.
Threonine deficiency, effect on carcass composition and pancreatic function in rat, 28.
—, methionine, isoleucine and valine, interrelationships between as supplements to corn protein for dogs, 389.
Thyroid hormone deficiency, in rats, and effect of potassium iodide and duodenal powder on growth and organ weight, 140.
— weight, vitamin A stores, and growth in the chick, effect of dietary nitrate on, 171.
Trakatellis, Anthony C. See Axelrod, A. E., 161.
Treadwell, C. R. See Vahouny, George V., 45.
Trifluoroacetic acid in serum vitamin A analysis, 454.
Trout, Marian. See Roels, O. A., 211.
Tryptophan and niacin intake and excretion of metabolites in preadolescent children, 423.
— deficiency, effect on carcass composition and pancreatic function in force-fed rat, 37.
Tuttle, Stewart G. See Swendseid, Marian E., 276.

U

Ullrey, D. E. See Harmon, B. G., 263, 269.
Ullrey, D. E. See Ritchie, H. D., 117.

V

Vahouny, George V., A. Moede, B. Silver and C. R. Treadwell. Nutrition studies in the cold. IV. Effect of cold environment on experimental atherosclerosis in the rabbit, 45.
Valine deficiency, effect on carcass composition and pancreatic function in force-fed rat, 37.
—, methionine, isoleucine and threonine, interrelationships between as supplements to corn protein for dogs, 389.
Valine-1-C^{14} incorporation into serum and tissue proteins of rats fed Torula yeast diets, 151.
Van Niekerk, B. D. H., A. Bensadoun, O. L. Paladines and J. T. Reid. A study of some of the conditions affecting the rate of excre-

tion and stability of creatinine in sheep urine, 373.
VAN NIEKERK, B. D. H., J. T. REID, A. BENSADOUN AND O. L. PALADINES. Urinary creatinine as an index of body composition, 463.
VERMILLION, ELEANOR J. See Clark, Helen E., 131.
VILLALOBOS, JUANITA. See Swendseid, Marian E., 276.
Vitamin A acid in chick, metabolism and biological activity of, 503.
— — activity and feeds of high nitrate content, in the rat, 168.
— — and alfalfa carotene, utilization by growing chicks, 9.
— — and cholesterol absorption in chick, 474.
— — deficiency and relationship to antibody production in swine, 263.
— —, serum, macro and micro methods for determination of, using trifluoroacetic acid, 454.
— —, stability in sterlized diet for germfree animals, 318.
— — stores, thyroid weight, and growth in the chick, effect of dietary nitrate on, 171.
— B_6 deficient female rats, fed low levels of three types of fat and effect on reproductive performance and tissue lipid content, 124.
— — requirements of chicks, effect of breed on, 279.
— E deficiency in monkey. V. Estimated requirements and influence of fat deficiency and antioxidants on syndrome, 69.
— stability in diets sterlized for germfree animals, 318.

W

WALKER, NORMAN E., AND C. R. GRAU. Growth and development of chick embryos supplied with various concentrations of yolk, 205.
Water, fluoridated, and skeletal uptake of Sr^{85} and Ca^{45} by young rats, 195.
WILCOX, SUE STEWART. See Lyman, Richard L., 28, 37.
WILSON, D. See Bressani, R., 333.
WISE, M. B., A. L. ORDOVEZA AND E. R. BARRICK. Influence of variations in dietary calcium: phosphorus ratio on performance and blood constituents of calves, 79.
Women, normal young, effects of diet high in polyunsaturated fat on plasma lipids, 85.
WOOD, RANDALL D., M. C. BELL, R. B. GRAINGER AND R. A. TEEKELL. Metabolism of labeled linoleic-1-C^{14} acid in the sheep rumen, 62.
WOSTMAN, B. S. See Zimmerman, D. R., 318.

X

Xanthine oxidase, liver, and succinic dehydrogenase and growth rate, influence of varying levels of protein in young rats, 365.

Y

YANG, S. P., JOHN E. STEINHAUER AND JO ELLA MASTERSON. Utilization of a delayed lysine supplement by young rats, 257.
YESS, NORMA J. See Clark, Helen E., 131.

Z

Zinc and copper interrelationships in the pig, 117.
—, effect on bone alkaline phosphatase in turkey poults, 18.
ZIMMERMAN, D. R., AND B. S. WOSTMANN. Vitamin stability in diets sterilized for germfree animals, 318.
ZIMMERMAN, R. A. See Parrish, D. B., 9.